



WEATHERMASTER™
Quality Products Since 1913

THE DIZE COMPANY
TARPAULIN DIVISION



YOUR SINGLE SOURCE FOR

TARPS



Residential



Farm



Garden



Commercial

BLUE OR BROWN POLY TARPAULINS

Features

- High Density, Rip Resistant Polyethylene Material
- UV Resistant
- 8x10 Weave Count per Square Inch
- Approximately 2.5 oz. per Square Yard
- 5 Mil Thickness
- Original Blue or Brown Color
- Heat Sealed Seams. Rope-lined, Heat Sealed or Double Stitched Hems
- Rustproof Aluminum Grommets Approximately 2 Feet Apart and in Each Corner
- UPC Coded

Weatherproof

- UVI (Ultra-Violet Inhibitor) Treated for Sun Resistance
- Waterproof, Mildew and Rot Resistant

Resistant to Most Chemicals

BLUE POLY TARPS					
MFG. #	SIZE	PACK WT/LB/EA		UPC CODE	12 OF 5 CODE
PT0507	5' x 7'	25	.8	0 00852 10057 6	1 00 00852 10057 3
PT0608D*	6' x 8'	20	1.0	0 00852 10068 2	3 00 00852 10068 3
PT0810D*	8' x 10'	14	1.5	0 00852 10810 7	3 00 00852 10810 8
PT0812	8' x 12'	25	2.0	0 00852 10812 1	1 00 00852 10812 8
PT0815	8' x 15'	20	2.5	0 00852 10815 2	1 00 00852 10815 9
PT1012D*	10' x 12'	10	2.5	0 00852 11012 4	3 00 00852 11012 5
PT1015	10' x 15'	20	3.1	0 00852 11015 5	1 00 00852 11015 2
PT1018D*	10' x 18'	6	3.4	0 00852 11018 6	3 00 00852 11018 7
PT1020	10' x 20'	10	3.6	0 00852 11020 9	1 00 00852 11020 6
PT1214	12' x 14'	15	3.2	0 00852 11214 2	1 00 00852 11214 9
PT1216D*	12' x 16'	7	3.5	0 00852 11216 6	3 00 00852 11216 7
PT1218	12' x 18'	10	3.9	0 00852 11218 0	1 00 00852 11218 7
PT1220D**	12' x 20'	10	4.3	0 00852 11220 3	3 00 00852 11220 4
PT1225	12' x 25'	10	5.4	0 00852 11225 8	1 00 00852 11225 5
PT1520D**	15' x 20'	8	5.4	0 00852 11520 4	3 00 00852 11520 5
PT1525	15' x 25'	5	6.8	0 00852 11525 9	1 00 00852 11525 6
PT1530	15' x 30'	5	8.1	0 00852 11530 3	1 00 00852 11530 0
PT1620D**	16' x 20'	7	5.7	0 00852 11620 1	3 00 00852 11620 2
PT1624	16' x 24'	7	6.9	0 00852 11624 9	1 00 00852 11624 6
PT1824	18' x 24'	5	7.8	0 00852 11824 3	1 00 00852 11824 0
PT2020D**	20' x 20'	6	7.3	0 00852 12020 8	3 00 00852 12020 9
PT2025D**	20' x 25'	4	9.4	0 00852 12025 3	3 00 00852 12025 4
PT2030D**	20' x 30'	4	11.3	0 00852 12030 7	3 00 00852 12030 8
PT2035	20' x 35'	4	13.1	0 00852 12035 2	1 00 00852 12035 9
PT2040D**	20' x 40'	3	14.5	0 00852 12040 6	3 00 00852 12040 7
PT2436	24' x 36'	3	16.2	0 00852 12436 7	1 00 00852 12436 4
PT2540	25' x 40'	3	18.7	0 00852 12540 1	1 00 00852 12540 8
PT2560	25' x 60'	2	28.1	0 00852 12560 9	1 00 00852 12560 6
PT3040	30' x 40'	1	22.5	0 00852 13040 5	1 00 00852 13040 2
PT3050D**	30' x 50'	1	28.1	0 00852 13050 4	1 00 00852 13050 1
PT3060	30' x 60'	1	33.8	0 00852 13060 3	1 00 00852 13060 0
PT4040	40' x 40'	1	28.9	0 00852 14040 4	1 00 00852 14040 1
PT4050	40' x 50'	1	37.5	0 00852 14050 3	1 00 00852 14050 0
PT4060	40' x 60'	1	45.0	0 00852 14060 2	1 00 00852 14060 9
PT50100	50'x100'	1	93.8	0 00852 15010 6	1 00 00852 15010 3
PT100100	100'x100'	1			

BROWN POLY TARPS

MFG. #	SIZE	PACK WT/LB/EA		UPC CODE	12 OF 5 CODE
BT0608D*	6' x 8'	20	1.0	0 00852 70608 2	3 00 00852 70608 3
BT0810D*	8' x 10'	14	1.5	0 00852 70810 9	3 00 00852 70810 0
BT1012D*	10' x 12'	10	2.5	0 00852 71012 6	3 00 00852 71012 7
BT1216D*	12' x 16'	7	3.5	0 00852 71216 8	3 00 00852 71216 9
BT1220D**	12' x 20'	10	4.3	0 00852 71220 5	3 00 00852 71220 6
BT2020D**	20' x 20'	6	7.3	0 00852 72020 0	3 00 00852 72020 1

BROWN/GREEN REVERSIBLE POLY TARPAULINS

Features

- High Density, Rip Resistant Polyethylene Material
- UV Resistant
- 10 x10 Weave Count per Square Inch
- Approximately 3.7 oz. per Square Yard
- 7 Mil Thickness
- Reversible: Brown and Green
- Heat Sealed Seams. Rope-lined, Heat Sealed or Double Stitched Hems with 3mm Rope in Hem
- Rustproof Aluminum Grommets Approximately 2 Feet Apart and in Each Corner
- UPC Coded

Weatherproof

- UVI (Ultra-Violet Inhibitor) Treated for Sun Resistance
- Waterproof, Mildew and Rot Resistant

Resistant to Most Chemicals

BROWN/GREEN POLY TARPS					
MFG. #	SIZE	PACK WT/LB/EA		UPC CODE	12 OF 5 CODE
BG0608D*	6' x 8'	20	1.0	0 00852 80068 1	1 00 00852 80068 8
BG0810D*	8' x 10'	12	1.5	0 00852 80810 6	1 00 00852 80810 3
BG1012D*	10' x 12'	8	2.5	0 00852 81012 3	1 00 00852 81012 0
BG1216D*	12' x 16'	5	3.5	0 00852 81216 5	1 00 00852 81216 2
BG1220D**	12' x 20'	8	4.3	0 00852 81220 2	1 00 00852 81220 9
BG2020D**	20' x 20'	5	7.3	0 00852 82020 7	1 00 00852 82020 4



CAMOUFLAGE POLY TARPAULINS

Features

- UV Resistant, High Density Polyethylene Material
- Non-Reflective Fabric Finish
- 10 x 8 Weave per Square Inch, 1000 Denier
- Approximately 2.7 oz. per Square Yard
- 5 Mil Thickness
- Camouflage Pattern, Light Green, Green and Brown
- Heat Sealed Seams, Rope-lined, Heat Sealed or Double Stitched Hems
- Aluminum Rustproof Grommets Approximately 3 Feet Apart and in Each Corner
- UPC Coded

Weatherproof

- UV (Ultra-Violet) Treated for Sun Resistance
- Waterproof, Mildew Resistant, Rot Proof
- Cold Resistant

CAMOUFLAGE POLY TARPS					
MFG. #	SIZE	PACK WT/LB/EA		UPC CODE	12 OF 5 CODE
CT0810D*	8' x 10'	14	2.3	0 00852 20810 4	3 00 00852 70608 3
CT1012D*	10' x 12'	10	3.4	0 00852 21012 1	3 00 00852 70810 0
CT1220D**	12' x 20'	10	6.4	0 00852 21220 0	3 00 00852 71012 7

TRUCK TARPS HEAVY DUTY

Features

- UV Resistant, Heavy Duty
- Double Coated Polyethylene Fabric
- 14 x 14 Weave per Square Inch
- High Tear Strength
- Approximately 6 oz. per Square Yard Material
- 12 Mil Thickness
- 1/4 in. Rope in Double Stitched Hems
- Triple Reinforced Sides and Double Reinforced Top
- Water Resistant, Heat Sealed Seams
- One Inch Plated Steel D-Rings with Reinforced
- Nylon Webbing Every Two Feet Apart Around Perimeter of Tarp
- Water Resistant, Mildew Resistant and Rot Resistant
- Cold Weather Resistant
- UPC Coded

TRUCK TARPS HEAVY DUTY					
MFG. #	SIZE	PACK WT/LB/EA		UPC CODE	12 OF 5 CODE
TT1012D**	10' x 12'	5	8.0	0 00852 31012 8	1 00 00852 31012 5
TT1216D**	12' x 16'	3	12.9	0 00852 31216 0	1 00 00852 31216 7
TT1224D**	12' x 24'	2	19.3	0 00852 31224 5	1 00 00852 31224 2

HEAVY DUTY POLY TARPAULINS

Features

- High Density Woven Treated Fabric, 1000 Denier
- UV Resistant Green or Silver/Black Heavy-Duty Polyethylene Material
- 14 x 14 Count per Square Inch
- Weighs approximately 6 oz. per Square Yard
- 12 Mil Thickness
- 1500 Hours UV Treatment
- Silver on Top, Black on Bottom Side
- Heat Sealed Seams. Rope-lined, Heat Sealed or Double Stitched Hems
- Rustproof Grommets in Corners and Every 18 Inches
- HG0909 Yard Tarp Drawstring Cord Provides Handles to Gather Easily into a Pocket
- Rugged, Durable, Construction Grade
- Longer Tarp Life for Year-Round Use
- UPC Coded

Weatherproof

- UVI (Ultra-Violet Inhibitor) Treated for Maximum Sun Resistance
- Water Resistant, Mildew and Rot Proof
- Weatherproof Coating Protects to -20° Below Zero

Resistant to Most Chemicals

BLACK/SILVER POLY TARPS – HD					
MFG. #	SIZE	PACK WT/LB/EA		UPC CODE	12 OF 5 CODE
HD0810D*	8' x 10'	6	3.2	0 00852 32810 9	3 00 00852 32810 0
HD1012D**	10' x 12'	8	4.8	0 00852 32012 7	3 00 00852 32012 8
HD1216D**	12' x 16'	6	7.7	0 00852 32216 9	3 00 00852 32216 0
HD1220D**	12' x 20'	5	9.7	0 00852 32220 6	3 00 00852 32220 7
HD1624D**	16' x 24'	3	15.5	0 00852 32624 2	3 00 00852 32624 3
HD2020D**	20' x 20'	2	16.1	0 00852 32020 2	3 00 00852 32020 3
HD2030D**	20' x 30'	2	24.2	0 00852 32030 1	3 00 00852 32030 2
HD2040D**	20' x 40'	1	32.3	0 00852 32040 0	3 00 00852 32040 1
HD3040	30' x 40'	1	48.4	0 00852 32340 1	1 00 00852 32340 8
HD3050	30' x 50'	1	60.5	0 00852 32350 0	1 00 00852 32350 7
HD4040	40' x 40'	1	64.5	0 00852 32440 8	1 00 00852 32440 5

GREEN POLY TARPS – HEAVY DUTY					
MFG. #	SIZE	PACK WT/LB/EA		UPC CODE	12 OF 5 CODE
HG0810D*	8' x 10'	6	3.2	0 00852 21810 3	1 00 00852 21810 0
HG1013D**	10' x 13'	8	5.2	0 00852 21013 8	1 00 00852 21013 5

DRAW STRING YARD TARPS – HD					
MFG. #	SIZE	PACK WT/LB/EA		UPC CODE	12 OF 5 CODE
HG0909	9' x 9'	5	3.2	0 00852 20909 2	1 00 00852 20909 2

BLACK/SILVER HAY BALE COVERS					
MFG. #	SIZE	PACK WT/LB/EA		UPC CODE	12 OF 5 CODE
HD2536D**	25' x 36'	1	36.3	0 00852 32536 8	3 00 00852 32536 1
HD2848D**	28' x 48'	1	54.2	0 00852 32848 2	1 00 00852 32848 9
HD3348D**	33' x 48'	1	63.9	0 00852 32348 7	1 00 00852 32348 4



ORIGINAL CANVAS TARPS

Features

- Durable, Constructed of High Quality Single Filled Cotton Duck
- Available in 10 oz. and 12 oz. Tan
- Breathable, Allows Moisture to Evaporate to Prevent Rot or Rust on Objects Being Protected
- Tough, Process Treated to Ensure Water Resistance
- Fire Retardant Material Available
- Double Stitched Seams and Hems
- Reinforced Corners
- Lock Stitched Hems with Rustproof Steel Grommets Approximately 2-3 Feet Apart and in Each Corner
- Custom Sizes Available
- Approximate Weight of Canvas Before and After Water Resistance Treatment is 10 oz./17 oz., and 12 oz./20 oz. Respectively
- UPC Coded
- Not Recommended for Highway Use

Custom Modification Available:

- Custom Sizes
- Available in Import or Made in the USA
- Pockets and Lace Bands
- Cutouts and Reinforcements
- Reinforcing Rope Sewn in Hems
- Special Grommet Spacing

Warning: Wax finish on fabric may cause staining or bleeding onto items being covered.

10 OZ. CANVAS TARPS

MFG. #	SIZE	PACK WT/LB/EA		UPC CODE	1 2 OF 5 CODE
CA0507	5' x 7'	15	4.4	0 00852 40057 7	100 00852 40057 4
CA0608D*	6' x 8'	7	6.1	0 00852 40068 3	100 00852 40068 0
CA0709	7' x 9'	10	6.9	0 00852 40079 9	100 00852 40079 6
CA0810D*	8' x 10'	5	10.2	0 00852 40810 8	100 00852 40810 5
CA1012D*	10' x 12'	3	15.2	0 00852 41012 5	100 00852 41012 2
CA1014	10' x 14'	5	17.8	0 00852 41014 6	100 00852 41014 6
CA1016D*	10' x 16'	3	20.3	0 00852 41016 3	100 00852 41016 0
CA1214D*	12' x 14'	3	21.3	0 00852 41214 3	100 00852 41214 0
CA1216	12' x 16'	3	24.4	0 00852 41216 7	100 00852 41216 4
CA1218	12' x 18'	3	27.4	0 00852 41218 1	100 00852 41218 8
CA1416	14' x 16'	3	28.4	0 00852 41416 1	100 00852 41416 8
CA1418	14' x 18'	3	32.0	0 00852 41418 5	100 00852 41418 2
CA1420	14' x 20'	2	35.5	0 00852 41420 8	100 00852 41420 5
CA1520	15' x 20'	2	38.1	0 00852 41520 5	100 00852 41520 2
CA1618	16' x 18'	2	36.5	0 00852 41618 9	100 00852 41618 6
CA1620D*	16' x 20'	1	40.6	0 00852 41620 2	100 00852 41620 9
CA1624	16' x 24'	1	48.7	0 00852 41624 0	100 00852 41624 7
CA1820	18' x 20'	1	45.7	0 00852 41820 6	100 00852 41820 3
CA1824	18' x 24'	1	54.8	0 00852 41824 4	100 00852 41824 1
CA2020	20' x 20'	1	50.8	0 00852 42020 9	100 00852 42020 6
CA2024	20' x 24'	1	60.9	0 00852 42024 7	100 00852 42024 4
CA2030	20' x 30'	1	76.1	0 00852 42030 8	100 00852 42030 5
CA2040	20' x 40'	1	101.5	0 00852 42040 7	100 00852 42040 4

12 OZ. CANVAS TARPS

MFG. #	SIZE	PACK WT/LB/EA		UPC CODE	1 2 OF 5 CODE
CB0507	5' x 7'	15	4.9	0 00852 60057 1	100 00852 60057 8
CB0608	6' x 8'	12	6.8	0 00852 60068 7	100 00852 60068 4
CB0709	7' x 9'	10	8.9	0 00852 60079 3	100 00852 60079 0
CB0810D*	8' x 10'	4	11.3	0 00852 60810 2	100 00852 60810 9
CB1012D*	10' x 12'	3	16.9	0 00852 61012 9	100 00852 61012 6
CB1014	10' x 14'	5	19.8	0 00852 61014 3	100 00852 61014 0
CB1016	10' x 16'	5	22.6	0 00852 61016 7	100 00852 61016 4
CB1018D*	10' x 18'	2	27	0 00852 61018 1	100 00852 61018 8
CB1214	12' x 14'	4	23.7	0 00852 61214 7	100 00852 61214 4
CB1216D*	12' x 16'	2	27.1	0 00852 61216 1	100 00852 61216 8
CB1218	12' x 18'	3	30.5	0 00852 61218 5	100 00852 61218 2
CB1220D*	12' x 20'	2	33.9	0 00852 61220 8	100 00852 61220 5
CB1416	14' x 16'	3	31.6	0 00852 61416 5	100 00852 61416 2
CB1418	14' x 18'	3	35.6	0 00852 61418 9	100 00852 61418 6
CB1420	14' x 20'	2	39.6	0 00852 61420 2	100 00852 61420 9
CB1520	15' x 20'	2	42.4	0 00852 61520 9	100 00852 61520 6
CB1618	16' x 18'	2	40.7	0 00852 61618 3	100 00852 61618 0
CB1620	16' x 20'	2	45.2	0 00852 61620 6	100 00852 61620 3
CB1624D*	16' x 24'	1	54.2	0 00852 61624 4	100 00852 61624 1
CB1820	18' x 20'	1	50.9	0 00852 61820 0	100 00852 61820 7
CB1824	18' x 24'	1	61.0	0 00852 61824 8	100 00852 61824 5
CB2020	20' x 20'	1	56.5	0 00852 62020 3	100 00852 62020 0
CB2024	20' x 24'	1	67.8	0 00852 62024 1	100 00852 62024 8
CB2030	20' x 30'	1	84.8	0 00852 62030 2	100 00852 62030 8
CB2040	20' x 40'	1	113.0	0 00852 62040 1	100 00852 62040 8

CANVAS DROP CLOTH

Features

- Professional Grade 8 oz. Premium Cotton Duck
- Environmentally Friendly Biodegradable Product
- Absorbent & Breathable
- Washable - Reusable
- Helps Protect Floor & Furniture
- Resistant to Tracking, Slipping & Sliding

CANVAS DROP CLOTH

MFG. #	SIZE	PACK WT/LB/EA		UPC CODE	1 2 OF 5 CODE
DC0415D	4' x 15'	8	3.16	0 00852 80415 3	100 00852 80415 0
DC0912D	9' x 12'	4	5.82	0 00852 80912 7	100 00852 80912 4

FOR OVER-THE-ROAD COMMERCIAL USE

CUSTOM VINYL TARPAULIN

Features

- Vinyl Coated Polyester or Laminated Material
- Available in Various Standard Weight Material:
 - » Vinyl Coated - 16 oz., 18 oz., 22 oz.
 - » Special Order: Laminated 10 oz., 12 oz., 13 oz., 14 oz.
- Welded or Heat Sealed Seams; Double Lock Stitched Hems
- Webbing in all Hems
- Waterproof, UV and Mildew Resistant
- Custom Made to Specifications
- Available in Most Popular Colors
- Fire Retardant Material Available
- Available in Any Size
- Rustproof Grommets Every 26-30 Inches in Hems
- High Tensile Strength and Flex Resistance
- High Abrasion, Puncture and Cold Temperature Resistance

Custom Modifications Available

- Form-Fit Tarps
- Extra Pockets
- Corner Cut-outs
- Additional Reinforcements
- Special Grommet Spacing
- Stenciling
- D-Rings, Webbing, Lace Bands

Popular Size Standard Flat Tarps

- 10' x 12'
- 10' x 14'
- 10' x 16'
- 12' x 14'
- 12' x 16'
- 12' x 18'
- 14' x 16'
- 14' x 18'
- 14' x 20'



HEAVY DUTY RUBBER STRAPS

MFG. #	LENGTH	MAX STRETCH	CARTON SIZE	CARTON WEIGHT	CARTON CUBE	CARTON PACK
RB1015	10"	18"	9 1/2" x 9 1/2" x 10 1/2"	11 lb.	.55	50
RB1520	15"	27"	12 1/2" x 12 1/2" x 9 1/2"	13 lb.	.85	50
RB2126	21"	36"	12 1/2" x 12 1/2" x 9 1/2"	15 lb.	.85	50
RB3136	31"	54"	13 1/2" x 13 1/2" x 11"	20 lb.	1.16	50
RB4146	41"	66"	13 1/2" x 13 1/2" x 11"	24 lb.	1.16	50

STANDARD DUTY RUBBER STRAPS

MFG. #	LENGTH	MAX STRETCH	CARTON SIZE	CARTON WEIGHT	CARTON CUBE	CARTON PACK
RI0010	10"	18"	9 1/2" x 9 1/2" x 10 1/2"	10 lbs. 5oz.	.51	50
RI0015	15"	27"	12 1/2" x 12" x 9 1/2"	12.5 lbs.	.80	50
RI0021	21"	36"	12 1/4" x 12" x 9 1/2"	15 lbs.	.80	50
RI0031	31"	54"	11 3/4" x 16 1/2" x 6 3/4"	19 lbs.	.75	50

TESTED TO ASTM STANDARD	TENSILE (ASTM D-412)	ELONGATION (ASTM D-412)	DUROMETER (ASTM D-2240)	STRETCH RECOVERY %	OZONE RESISTANCE (ASTM D-11710)
HEAVY-DUTY 100% EPDM	1500PSI	350%	55-5%	94%	.80

The "S" Hooks are .172 diameter, C-1019 silicon-kilned hard tempered galvanized steel which is dry wax coated to protect from rust.

LIMITED EXPRESS WARRANTY

Seller makes no warranty of any kind, expressed or implied, except that the goods sold shall be of the standard quality of the seller and buyer assumes all risk and liability resulting from the use of the goods, whether used singly or in combination with other goods. Before using, user shall determine the suitability of the product for its intended use. User assumes all risk and liability whatsoever in connection therewith and seller makes no warranties or representations as to the fitness of the product for any particular use. Seller neither assumes nor authorizes any person to assume for the seller any other liability in connection with the sale or use of this product and there are no oral agreements or warranties collateral to or affecting this product.

WARNING

Wear eye protection during tie down and removal. Sudden break or release of strap while in use can cause severe injury. Discard if strap is cut or broken.

CORDURA NYLON TARPS

Features

- Heavy-Duty 500/1000 Denier Material
- Mis-Dyed 1st Quality Fabric
- High Performance Fabric Resistant to Abrasions, Tears, Scuffs and Punctures
- Rot and Mildew Resistant
- Grommets Every 2 to 3 feet
- Made in the USA



CORDURA NYLON TARPS

MFG. #	SIZE	PACK WT/LB/EA		UPC CODE	12 OF 5 CODE
CN0608D*	6' x 8'	7	5.0	0 00852 20608 7	1 00 00852 20608 4
CN0810D*	8' x 10'	4	6.0	0 00852 22810 2	1 00 00852 22810 9
CN1012D*	10' x 12'	4	8.0	0 00852 23012 9	1 00 00852 23012 6
CN1216D*	12' x 16'	2	13.0	0 00852 22216 2	1 00 00852 22216 9
CN1224D**	12' x 24'	2	15.0	0 00852 22224 7	1 00 00852 22224 4
CN2030D**	20' x 30'	1	32.0	0 00852 22030 4	1 00 00852 22030 1

D - Denotes Display Packaging • *Display Packaging 12" x 15" x 12"
 ■ **Display Packaging 24" x 15" x 12" ■

MESH TARPS & KENNEL COVERS

Features

- Heavy-Duty Black Woven High Tensile Material
- 50/50 Polypropylene and PVC Coated Polyester
- Double Stitched Hems and Seams
- Reinforcing Webbing in Hems
- Brass Rustproof Grommets In Corner & Every 24"
- Made in the USA and Import Available

Easy To Handle

- Lightweight—Weighs About 6 oz. Per Square Yard

Resistant to Most Chemicals

MESH TARPS & KENNEL COVERS

MFG. #	SIZE	PACK WT/LB/EA		UPC CODE	12 OF 5 CODE
KC1010D*	10' x 10'	3	3.8	0 00852 21010 7	1 00 00852 21010 4
KC1012D*	10' x 12'	2	5.1	0 00852 22012 0	1 00 00852 22012 7
KC1216D*	12' x 16'	2	8.2	0 00852 21216 3	1 00 00852 21216 0
KC1224D*	12' x 24'	1	12.3	0 00852 21224 8	1 00 00852 21224 5

D—Denotes Display Packaging • *Display Packaging 16" x 18" x 10.5"



WEATHERMASTER™
 Quality Products Since 1913



THE DIZE COMPANY
 CUSTOM TARPAULIN DIVISION



1516 Doune Street
 Winston-Salem, NC 27127



Phone: (336) 722-5181
 Toll free: (800) 583-8243



dize@dizeco.com
 dizecompany.com